



40W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	15 Plafo
Family	LED Die Cast Panel Range
Order Code	62140F/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	47mm

Diameter
Surface Ceiling
Indoor
Adjustable

420mm
Yes
Yes
No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

40W
IP40
LED built in
No


Fitting

Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
F Mark

Constant Current
1000mA
38V

38W
IP20
LED built in
SMD 4014
Zhaochi


Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	34-39W
Power Factor	0,9
Constant Current	Yes
1000mA	34-39V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Fast Connector	Yes
Fast Connector Type	Other
Brand	KEGU

Illumination Data

Colour Temperature	4000K
Lumen Output	2800lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	46cm
Box Width	46cm

Box Height	7cm
Box Weight	6,4kg
Pcs/Carton	5
Barcode	5291889040712
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes