

## 15 Plafo>The LED Decorative Plafo Round

# 62142N/W/W



42W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









### Dimensions



#### **Physical Specification**

Item Group	15 Plafo
Family	The LED Decorative Plafo Round
Order Code	62142N/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	600mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	42W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	1050mA
Voltage	38V
Power(Watts)	39,9W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	34,65-44,1W

Power Factor	0,9
Constant Current	Yes
1050mA	33-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	TRIDONIC
Illumination Data	
mummation bata	
mummation Data	
Colour Temperature	3000K
	3000K 3570lm
Colour Temperature	
Colour Temperature  Lumen Output	3570lm
Colour Temperature  Lumen Output  Light Efficiency	3570lm 85lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	3570lm 85lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3570lm 85lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	3570lm 85lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3570lm 85lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3570lm 85lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Pes/Carton	3570lm  85lm/VV  80

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes