

15 Plafo>The LED Plafo Range

62154/W/W



24W LED slim plafo light, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions




Physical Specification

15 Plafo
The LED Plafo Range
62154/W/W
White
Iron
PC
Circular
57mm
380mm
Yes
Yes
No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	200mA
Voltage	145V
Power(Watts)	29W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	26-30W

Power Factor	0,9
Constant Current	Yes
200mA	130-150V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Illumination Data	
Colour Temperature	3000K
Colour Temperature Lumen Output	3000K 2150lm
Lumen Output	2150lm
Lumen Output Light Efficiency	2150lm 71,67lm/W
Lumen Output Light Efficiency CRI	2150lm 71,67lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	2150lm 71,67lm/W
Lumen Output Light Efficiency CRI	2150lm 71,67lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	2150lm 71,67lm/W
Lumen Output Light Efficiency CRI Illumination Diagram	2150lm 71,67lm/W 80

Energy Label



Warranty	2 Years
Weee Directive	Yes

Certification & Warranty