

15 Plafo>Decorative Plafo

62182/BBR/W



40W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 1050mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	480mm <u>87</u> mm
Physical Specification	
Item Group	15 Plafo
Family	Decorative Plafo

Order Code

Colour

Material

Shape

Height

62182/BBR/W

Brushed Brown

Aluminium

Circular

87mm

Diameter	480mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1050mA
Voltage	36V
Power(Watts)	37,8W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	24-42W


0,9
Yes
23-40V
IP20
No
Cable
Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	3400lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

Packing Info	
Pcs/Carton	1
Barcode	5291889065951
HS Code	9405409900

Energy Label



Energy Class	F
Energy Consumption	40KWh/1000h

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes