

15 Plafo>Decorative Plafo

62182/BGL/W



40W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 1050mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

Item Group	15 Plafo
Family	Decorative Plafo
Order Code	62182/BGL/W
Colour	Brushed Gold
Material	Aluminium
Shape	Circular
Height	87mm
Diameter	480mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	1050mA
Voltage	36V
Power(Watts)	37,8W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	31,5-42W

Power Factor	0,9
Constant Current	Yes
1050mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Brand	KEGU
Illumination Data	
Oalawa Tagan anatuma	000014
Colour Temperature	3000K
Lumen Output	3400lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	
Packing Info	
Pcs/Carton	1
Barcode	5291889065944
HS Code	9405409900
Energy Label	
ENERGY ONE Light Ltd 62182/BGL/W A B C D E F F F G 2019/2015	
Energy Class	F
Energy Consumption	40KWh/1000h

Warranty	2 Years
Weee Directive	Yes

Certification & Warranty