

18 Decorative>LED Pendant Rings

63046A/W



45W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions





Physical Specification

| | |
|-------------------|-------------------|
| Item Group | 18 Decorative |
| Family | LED Pendant Rings |
| Order Code | 63046A/W |
| Colour | White |
| Material | Aluminium + Steel |
| Shape | Circular |
| Diameter | 650mm |
| Suspended Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Gear | Built In |
|------------------|--|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 45W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class |  |
| Power(Watts) | 45W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2835 |
| LED Brand | Epistar |
| F Mark |  |

| Gear | |
|------------------|------------|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 50W |
| Power Factor | 0,9 |
| Constant Voltage | Yes |

| |
|------------------|
| 24 V |
| IP Rating |
| Safety Class |
| Dimmable |
| Housing Material |
| Output Terminal |
| Manufacturer |

| |
|---|
| Yes |
| IP20 |
|  |
| No |
| Plastic |
| Cable |
| Anway |

Illumination Data

| |
|----------------------|
| Colour Temperature |
| Lumen Output |
| Light Efficiency |
| CRI |
| Illumination Diagram |


| |
|---|
| 3000K |
| 2700lm |
| 60lm/W |
| 80 |
|  |

Packing Info

| |
|------------|
| Pcs/Carton |
| Barcode |
| HS Code |

| |
|---------------|
| 1 |
| 5291889056553 |
| 9405409900 |

Energy Label



Warranty

2 Years

Weee Directive

Yes
