


## 18 Decorative>The Swirl Range

63064/W



36W LED Decorative Pendant.

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads










#### Dimensions




#### Physical Specification

Item Group	18 Decorative
Family	The Swirl Range
Order Code	63064/W
Colour	White
Material	Aluminium + Steel
Shape	Circular
Height	1500mm
Diameter	550mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Fitting ≠ Driver	Gear	Built In
So Hz         Yes           60 Hz         Yes           Safety Class         □           Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           F Mark         ▼           Fitting         ▼           Input Type         Constant Voltage           Input Voltage         24V DC           Safety Class         □           Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           LED Type         SMD 2835           LED Type         SMD 2835           LED Brand         Epistar           Gear         Cear Type           Input Voltage         220-240V           50 Hz         Yes           60 Hz         Yes           Power(Watts)         36W	Fitting + Driver	
60 Hz         Yes           Safety Class         ⊕           Power(Watts)         36W           IP Reting         IP20           Light Source         LED built in           Dimmeble         No           F Mark         ▼           Fitting         Thus Voltage           Input Type         Constant Voltage           Input Voltage         24V DC           Safety Class         ⊕           Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           LED Type         SMD 2835           LED Brand         Epistar           Gear         Epistar           Gear Type         Led Driver           Input Voltage         220-240V           60 Hz         Yes           60 Hz         Yes           Power(Watts)         36W	Input Voltage	220-240V
Safety Class         □           Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           Dimmable         No           F Mark         ▼           Fitting         Fitting           Input Type         Constant Voltage           Input Voltage         24V DC           Safety Class         □           IP Rating         IP20           Light Source         LED built in           LED Type         SMD 2835           LED Brand         Epister           Gear         Gear           Gear Type         Led Driver           Input Voltage         200-240V           50 Hz         Yes           60 Hz         Yes           Power(Watts)         36W	50 Hz	Yes
Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           Dimmable         No           F Mark         ▼           Fitting           Input Type         Constant Voltage           Input Voltage         24V DC           Safety Class         □           Power(Watts)         36W           IP Rating         IP20           LED Type         LED built in           LED Type         SMD 2835           LED Brand         Epistar           Gear         Cear Type           Input Voltage         220-240V           50 Hz         Yes           60 Hz         Yes           Power(Watts)         36W	60 Hz	Yes
IP Rating Light Source LED built in  Mo F Mark  Fitting  Input Type Input Voltage  Safety Class Power(Watts) IP Rating LED Type LED Type  Gear  Gear Type Input Voltage  Gear Type Input Voltage  Led Driver Input Voltage  Safety Class  Gear Type Input Voltage  Led Driver Input Voltage  Soltage  Soltage Input Voltage  Soltage Input Voltage Input	Safety Class	
Light Source LED built in   Dinmable No   F Mark ▼   Fitting Constant Voltage   Input Type 24V DC   Safety Class ⊕   Power(Watts) 36W   IP Rating IP20   Light Source LED built in   LED Type SMD 2836   LED Brand Epistar   Gear Cear Type   Input Voltage Led Driver   Input Voltage 20-240V   50 Hz Yes   Goer (Watts) 36W	Power(Watts)	36W
Dimmable No   F Mark ▼   Fitting Constant Voltage   Input Type 24V DC   Safety Class 100   Power(Watts) 36W   IP Rating IP20   Light Source LED built in   LED Type SMD 2836   LED Brand Epistar   Gear Led Driver   Input Voltage 20-240V   50 Hz Yes   60 Hz Yes   Power(Watts) 36W	IP Rating	IP20
Fitting  Input Type Input Yoltage  Constant Voltage Input Voltage  Av DC  Safety Class  Power(Watts)  IP Rating IP20  LED built in  LED Type SMD 2835  LED Brand  Gear  Gear  Gear  Gear Type Input Voltage  Led Driver Input Voltage  200-240V  Fower(Watts)  Power(Watts)  Fitting  Average Substance  A	Light Source	LED built in
Fitting  Input Type Constant Voltage Input Voltage 24V DC Safety Class Power(Watts) 36W  IP Rating IP20 Light Source LED brild in LED brild in Safety Class Cear Type Led Driver Charter Cear Type Led Driver Input Voltage 220-240V  Fower(Watts) Power(Watts) Safety Class Safety Cl	Dimmable	No
Fitting         Constant Voltage           Input Voltage         24V DC           Safety Class         ⊕           Power(Watts)         36W           IP Rating         IP20           LED Type         ED built in           LED Type         SMD 2835           LED Brand         Epistar           Gear         Coar Type           Input Voltage         Led Driver           Input Voltage         220-240V           50 Hz         Yes           Fower(Watts)         36W	F Mark	F
Input Type Input Yoltage 24V DC Safety Class Power(Watts) 36W IP Rating LED built in LED Type SMD 2836 LED Brand Gear Gear Gear Gear Gear John Constant Voltage Led Driver Led Driver Input Yoltage Power(Watts) SMD 2836 Sepistar  Gear Gear Gear Gear Gear John Constant Voltage Led Driver Led Driver Led Driver Input Voltage Power(Watts) SMD 2836 Sepistar  Gear John Constant Voltage Led Driver Led Driver SMD 2836 Sepistar  Author Constant Voltage Led Driver SMD 2836 Sepistar  Author Constant Voltage SMD 2836 SMD 2836 Sepistar  SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 Sepistar SMD 2836 SMD 28		
Input Voltage         24V DC           Safety Class         ★★★           Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           LED Type         SMD 2835           LED Brand         Epistar           Gear         Led Driver           Input Voltage         220-240V           50 Hz         Yes           Fower(Watts)         36W	Fitting	
Safety Class	Input Type	Constant Voltage
Power(Watts)         36W           IP Rating         IP20           Light Source         LED built in           LED Type         SMD 2835           LED Brand         Epistar           Gear         Led Driver           Input Voltage         220-240V           50 Hz         Yes           Power(Watts)         36W	Input Voltage	
IP Rating Light Source LED Type SMD 2835 LED Brand  Gear  Gear Type Input Voltage 100 Hz Peower(Watts) POOR TO STAND STA	Safety Class	
Light SourceLED built inLED TypeSMD 2835LED BrandEpistarGearLed DriverInput Voltage220-240V60 HzYesPower(Watts)36W	Power(Watts)	36W
LED TypeSMD 2835LED BrandEpistarGearLed DriverInput Voltage220-240V50 HzYes60 HzYesPower(Watts)36W	IP Rating	IP20
LED BrandEpistarGearLed DriverInput Voltage220-240V50 HzYes60 HzYesPower(Watts)36W	Light Source	LED built in
Gear Type Led Driver Input Voltage 220-240V  50 Hz Yes Power(Watts)  Address of the state of the	LED Type	SMD 2835
Gear Type Input Voltage 220-240V  50 Hz Yes  60 Hz Power(Watts)  Led Driver  220-240V  36W	LED Brand	Epistar
Gear Type Input Voltage 220-240V  50 Hz Yes  60 Hz Power(Watts)  Led Driver  220-240V  36W		
Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 36W	Gear	
50 Hz 60 Hz Power(Watts) Yes 36W	Gear Type	Led Driver
60 Hz Power(Watts) Yes 36W	Input Voltage	220-240V
Power(Watts) 36W	50 Hz	Yes
	60 Hz	Yes
Power Factor 0,9	Power(Watts)	36W
	Power Factor	0,9

Constant Voltage	Yes
24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	ANWAY
Illumination Data	
Colour Temperature	3000K
Lumen Output	1800lm
Light Efficiency	50lm/W
CRI	80
Illumination Diagram	
Packing Info	
Pcs/Carton	1
Barcode	5291889066712
HS Code	9405409900

# Energy Label



Warranty	2 Years
Weee Directive	Yes

Certification & Warranty