

10 Track Spots>Adjustable LED Linear Track Light

65024T/W/C



10X5W COB linear track light spot +-45° adjustable, ideal for shops and showrooms.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/W




40003A/W

Physical Specification

| | |
|------------|-----------------------------------|
| Item Group | 10 Track Spots |
| Family | Adjustable LED Linear Track Light |
| Order Code | 65024T/W/C |
| Colour | White |
| Material | Aluminium + Plastic |
| Shape | Rectangular |
| Length | 580mm |


| | |
|---------------|-------------|
| Width | 60mm |
| Height | 80mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics


| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 10x5W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 1200mA |
| Voltage | 38V |
| Power(Watts) | 45,6W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Bridgelux |
| LED Number | 10 |

| Gear |
|------|
|------|

| | |
|------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 39,6-50,4W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 1200mA | 33-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | LIFUD |
| Protection | Short Circuit Protection |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 10x580lm |
| Light Efficiency | 116lm/W |
| CRI | 80 |
| Beam Angle | 30° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 51,5cm |
| Box Width | 9cm |
| Box Height | 13cm |
| Pcs/Carton | 10 |
| Barcode | 5291889058717 |

Energy Label



Energy Class

D

Energy Consumption

50KWh/1000h

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes