

10 Track Spots>Adjustable LED Linear Track Light

65026T/B/W



40W COB linear track light spot  $\pm 45^\circ$  adjustable, ideal for shops and showrooms.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B




40003A/B

Physical Specification

|            |                                   |
|------------|-----------------------------------|
| Item Group | 10 Track Spots                    |
| Family     | Adjustable LED Linear Track Light |
| Order Code | 65026T/B/W                        |
| Colour     | Black                             |
| Material   | Aluminium + Plastic               |
| Shape      | Rectangular                       |
| Length     | 500mm                             |


|               |             |
|---------------|-------------|
| Width         | 60mm        |
| Height        | 100mm       |
| Track mounted | Yes         |
| Indoor        | Yes         |
| Adjustable    | 1 Direction |

## Electrical Characteristics


|                  |   |
|------------------|---|
| Gear             | Built In  |
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 40W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |

|               |                  |
|---------------|------------------|
| Fitting       |                  |
| Input Type    | Constant Current |
| Input Current | 1000mA           |
| Voltage       | 38V              |
| Power(Watts)  | 38W              |
| IP Rating     | IP20             |
| Light Source  | LED built in     |
| LED Type      | SMD 2835         |
| LED Brand     | Sanan            |

|           |            |
|-----------|------------|
| Gear      |            |
| Gear Type | Led Driver |

|                  |   |
|------------------|---|
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 28-40W  |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 1000mA           | 28-40V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Output Terminal  | Connector   |
| Brand            | BOKE  |
| Protection       | Short Circuit Protection  |

#### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 3200lm  |
| Light Efficiency     | 80lm/W  |
| CRI                  | 80  |
| Beam Angle           | 100°  |
| Illumination Diagram |  |

#### Packing Info

|            |               |
|------------|---------------|
| Box Length | 51,5cm        |
| Box Width  | 9cm           |
| Box Height | 13cm          |
| Pcs/Carton | 10            |
| Barcode    | 5291889059141 |
| HS Code    | 9405409900    |

Warranty

---

2 Years

---

Weee Directive

---

Yes

---