

14 Wall & Ceiling LED>The COB Moving Heads Spots Die cast

65110B/W/W



10W COB Moving head spot suitable for wall and ceiling installation, IP20 .

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB Moving Heads Spots Die cast
Order Code	65110B/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	157mm


Width	57mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	36V
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8-12W
Power Factor	0,9
Constant Current	Yes
250mA	32-48V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Manufacturer	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	900lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	60
Illumination Diagram	

Packing Info

Box Length	15cm
Box Width	10,5cm
Box Height	21cm
Box Weight	0,75kg
Pcs/Carton	10
Barcode	5291889047384
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes