

10 Track Spots>The COB Cylinder Range

65632T/W/W



35W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



40002A/W



40003A/W

Physical Specification

Item Group


10 Track Spots


Family

The COB Cylinder Range

Order Code	65632T/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	145mm
Diameter	110mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	900mA
Voltage	37V
Safety Class	
Power(Watts)	33,3W
IP Rating	IP20
Light Source	LED built in

LED Type
LED Brand

COB
Lumileds

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
700mA
IP Rating
Safety Class
Dimmable
Ambient Temp
Operating Temp
Housing Material
Output Terminal
Brand
Protection

Led Driver
220-240V
Yes
Yes
21-30W
0,95
Yes
30-43V
IP20

No
50°C
80°C
Plastic
Connector
Tridonic
Short Circuit Protection

Illumination Data


Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

3000K
3200lm
91,42lm/W
80
36°


Packing Info

Box Length	31cm
Box Width	13,5cm
Box Height	13,5cm
Box Weight	1,48kg
Pcs/Carton	9
Barcode	5291889050216
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	30000hours
Weee Directive	Yes