

10 Track Spots>The Honeycomb Range

65652T/B/C



30W COB LED Track Spot with honeycomb

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Related items







40003A/B

Physical Specification

| Item Group | 10 Track Spots |
|------------|---------------------|
| Family | The Honeycomb Range |
| Order Code | 65652T/B/C |
| Colour | Black |
| Material | Die Cast |
| Shape | Circular |
| Height | 240mm |
| | |

| Diameter | 140mm |
|--------------------------|------------------|
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |
| | |
| ectrical Characteristics | |
| | |
| Gear | Built In |
| | |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 30W |
| IP Rating | IP20 |
| Light Source | Replaceable lamp |
| Number of Lamps | 1 |
| Dimmable | No |
| F Mark | F |
| | |
| Fitting | |
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 40V |
| Power(Watts) | 28W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | СОВ |
| LED Brand | Lumileds |
| | |
| Gear | |

| Gear Type | Led Driver |
|----------------------|---------------|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 2-26,6W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 700mA | 3-38V |
| IP Rating | IP20 |
| Safety Class | |
| Brand | Rxpower |
| | |
| lumination Data | |
| | |
| Colour Temperature | 4000K |
| Lumen Output | 1800lm |
| Light Efficiency | 60lm/W |
| CRI | 80 |
| Beam Angle | 24° |
| Illumination Diagram | |
| | |
| acking Info | |
| | |
| Box Length | 16,5cm |
| Box Width | 16,5cm |
| Box Height | 23,5cm |
| Box Weight | 1,15Kg |
| Pcs/Carton | 12 |
| Barcode | 5291889061588 |
| HS Code | 9405409900 |
| | |

Energy Label



Weee Directive

| Certification & Warranty | |
|--------------------------|---------|
| | |
| Warranty | 2 Years |

Yes