

10 Track Spots>Dark Light Tubes Track Spots

65656CT/W/W



24W SMD LED track spot with, ideal for shops and showrooms.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Related items







Physical Specification

10 Track Spots
Dark Light Tubes Track Spots
65656CT/W/W
White
Aluminium
Circular
71mm


ions

Electrical Characteristics					
Gear	Built In				
Fitting + Driver					
Input Voltage	220-240V				
50 Hz	Yes				
60 Hz	Yes				
Safety Class					
Power(Watts)	24W				
IP Rating	IP20				
Light Source	LED built in				
Dimmable	No				
Fitting					
Input Type	Constant Current				
Input Current	700mA				
Voltage	34V				
Safety Class					
Power(Watts)	23,8W				
IP Rating	IP20				
Light Source	LED built in				
LED Type	SMD 5050				
LED Brand	Osram				
LED Number	4				

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	21-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KEGU
Illumination Data	
Illumination Data	
Illumination Data Colour Temperature	3000K
Illumination Data Colour Temperature Lumen Output	3000K 1920lm
Colour Temperature	
Colour Temperature Lumen Output	1920lm
Colour Temperature Lumen Output Light Efficiency	1920lm 80lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1920lm 80lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info	1920lm 80lm/W 90 40° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info Pcs/Carton	1920lm 80lm/W 90 40° Yes

Energy Label



Certification & Warranty		

Warranty	3 Years
Weee Directive	Yes