

14 Wall & Ceiling LED>Reading Spots Aluminium

65738/AL/W



3W COB LED bedside adjustable fitting ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots Aluminium
Order Code	65738/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	80mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

## Gear

## Built In

## Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

3W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

4V

Safety Class



Power(Watts)

2,8W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Lumileds

## Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

1,6-3W

Power Factor	0,5
Constant Current	Yes
700mA	2,2-4,2v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	

#### Packing Info

Box Length	11,5cm
Box Width	10,5cm
Box Height	13cm
Box Weight	0,43Kg
Pcs/Carton	24
Barcode	5291889049807
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes