


14 Wall & Ceiling LED>Outdoor Wall Lights Die cast

67124/G/BL



2x1W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



Physical Specification

| Item Group | 14 Wall & Ceiling LED | | |
|--------------|------------------------------|--|--|
| Family | Outdoor Wall Lights Die cast | | |
| Order Code | 67124/G/BL | | |
| Colour | Grey | | |
| Material | Die Cast | | |
| Shape | Rectangular | | |
| Length | 130mm | | |
| Width | 130mm | | |
| Height | 63mm | | |
| Surface Wall | Yes | | |
| Indoor | Yes | | |
| Outdoor | Yes | | |

| Electrical | Characteristics |
|------------|-----------------|
| Liculicai | Unaraciensiics |

| Gear | Built In | | |
|------------------|------------------|--|--|
| | | | |
| Fitting + Driver | | | |
| Input Voltage | 220-240V | | |
| 50 Hz | Yes | | |
| 60 Hz | Yes | | |
| Safety Class | | | |
| Power(Watts) | 2x1W | | |
| IP Rating | IP54 | | |
| Light Source | LED built in | | |
| Dimmable | No | | |
| F Mark | F | | |
| | | | |
| Fitting | | | |
| Input Type | Constant Current | | |
| Power(Watts) | 2W | | |
| IP Rating | IP54 | | |
| Light Source | LED built in | | |
| | | | |
| Gear | | | |
| Gear Type | Led Driver | | |
| Input Voltage | 220-240V | | |
| 50 Hz | Yes | | |
| 60 Hz | Yes | | |
| Power(Watts) | 2W | | |
| Constant Current | Yes | | |
| IP Rating | ID00 | | |
| | IP20 | | |
| Safety Class | | | |
| | No No | | |
| Safety Class | | | |

| Illu | min | atio | n D | ata |
|------|-----|------|-----|-----|
| | | | | |

Colour Temperature

Illumination Diagram

Blue




Packing Info

Pcs/Carton 18

Barcode 5291889016465

HS Code 9405409900

Energy Label



Certification & Warranty

Weee Directive

Warranty 2

wananty

2 Years

Yes