


14 Wall & Ceiling LED>Outdoor Wall Cylinders High Power

67138EL/AN/C



20W Outdoor Wall Cylinder, IP65.

AC LED.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Cylinders High Power
Order Code	67138EL/AN/C
Colour	Anthracite
Material	Die Cast
Shape	Circular
Height	185mm
Diameter	140mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Gear	No
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP65
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	F
Illumination Data	
Illumination Data	
Illumination Data Colour Temperature	4000K
	4000K 1400lm
Colour Temperature	
Colour Temperature Lumen Output	1400lm
Colour Temperature Lumen Output Light Efficiency	1400lm 70lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1400lm 70lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1400lm 70lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1400lm 70lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1400lm 70lm/W 80 35°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	1400lm 70lm/W 80 35°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1400lm 70lm/W 80 35°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	1400lm 70lm/W 80 35°

Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes