

14 Wall & Ceiling LED>Outdoor Wall Cylinders

67138F/AN/W



6W Outdoor Wall Cylinder, IP54.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|------------------------|
| Item Group | 14 Wall & Ceiling LED |
| Family | Outdoor Wall Cylinders |
| Order Code | 67138F/AN/W |
| Colour | Anthracite |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 80mm |
| Width | 80mm |
| Height | 95mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

10V

Safety Class



Power(Watts)

5W

IP Rating

IP54

Light Source

LED built in

LED Type

COB

LED Brand

Edison

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz


Yes

60 Hz


Yes

Power(Watts)

3-6W

| | |
|------------------|---|
| Power Factor | 0,5 |
| Constant Current | Yes |
| 500mA | 6-12V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 70°C |
| Brand | Eaglerise |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 440lm |
| Light Efficiency | 73,33lm/W |
| CRI | 80 |
| Beam Angle | 35° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 12 |
| Barcode | 5291889042600 |
| HS Code | 9405409900 |

Energy Label



Warranty

2 Years

Weee Directive

Yes
