

## 14 Wall & Ceiling LED>Indoor/Outdoor Wall Lines Die cast

# 67172/G/BL



2x3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads





#### Dimensions



#### **Physical Specification**

Item Group	14 Wall & Ceiling LED
Family	Indoor/Outdoor Wall Lines Die cast
Order Code	67172/G/BL
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	80mm
Width	55mm
Height	150mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Flootrical	Characteristics
Elecuicai	Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	2x3W
IP Rating	IP54
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Output Terminal	Cable
Illumination Data	
Colour Temperature	Blue
Illumination Diagram	
Packing Info	
Pcs/Carton	20
Barcode	5291889024439
HS Code	9405409900
Energy Label	
This luminaire contains built-in LED lamps.	

### Certification & Warranty

874/2012

Warranty 2 Years
Weee Directive Yes