

14 Wall & Ceiling LED>Indoor/Outdoor Light Points

67220A/AL/D



1W LED wall and ceiling light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Indoor/Outdoor Light Points
Order Code	67220A/AL/D
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	80mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Flootrical	Characteristics
Elecuicai	Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1W
IP Rating	IP54
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Output Terminal	Cable

		_
Illumination Data		
		_
Colour Temperature	6000K	
Illumination Diagram		

Packing Info		
Pcs/Carton	20	
Barcode	5291889018735	
HS Code	9405409900	

Energy Label



Warranty 2 Years Wee Directive Yes