

### 20 Garden & Underwater>The LED Bollards

# 67234A/AL/W



1W LED Bollard, IP54 for Garden illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads







#### Dimensions



#### **Physical Specification**

Item Group	20 Garden & Underwater		
Family	The LED Bollards		
Order Code	67234A/AL/W		
Colour	Aluminium		
Material	Natural Aluminium		
Diffuser Material	Acrylic		
Shape	Circular		
Height	450mm		
Diameter	49mm		
Surface Floor/Ground	Yes		
Outdoor	Yes		
Adjustable	No		

Electrical	Characteristics

Gear	Built In		
Fitting + Driver			
Input Voltage	220-240V		
50 Hz	Yes		
60 Hz	Yes		
Safety Class			
Power(Watts)	1W		
IP Rating	IP54		
Light Source	LED built in		
Dimmable	No		
F Mark	F		
Fitting			
Input Type	Constant Current		
IP Rating	IP54		
IP Rating Light Source	IP54 LED built in		
Light Source			
Light Source  Gear	LED built in		
Light Source  Gear  Gear Type	LED built in  Led Driver		
Gear Gear Type Input Voltage	LED built in  Led Driver  220-240V		
Gear Gear Type Input Voltage 50 Hz	Led Driver 220-240V Yes		
Gear Gear Type Input Voltage 50 Hz 60 Hz	Led Driver 220-240V Yes Yes		
Gear Gear Type Input Voltage 50 Hz Fower(Watts)	Led Driver  220-240V  Yes  Yes  1W		
Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current	Led Driver  220-240V  Yes  Yes  1W  Yes		
Cear Gear Type Input Voltage 50 Hz Fower(Watts) Constant Current IP Rating	Led Driver  220-240V  Yes  Yes  1W  Yes		
Gear Gear Type Input Voltage 50 Hz 60 Hz Power(Watts) Constant Current IP Rating Safety Class	Led Driver  220-240V  Yes  Yes  1W  Yes  IP20		

Illu	min	atio	n D	ata

Colour Temperature

3000K

Illumination Diagram

4


# Packing Info

Pcs/Carton

Barcode 5291889018377

**HS** Code 9405409900

# Energy Label



## Certification & Warranty

Warranty 2 Years

Yes Weee Directive