

15 Plafo>The LED Plafo Outdoor Round

67280BN/W/W



30W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Plafo Outdoor Round
Order Code	67280BN/W/W
Colour	White
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	83mm
Diameter	360mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable
IK Rating

No
8

Electrical Characteristics

Gear
------

Built In
----------

Fitting + Driver


Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

30W
IP65
LED built in
No


Fitting


Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Current
700mA
38V
28W
IP65
LED built in
SMD 2835
Epistar
144



Gear

Gear Type
-----------

Led Driver
------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18,2-30W
Power Factor	0,9
Constant Current	Yes
700mA	26-43,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise


#### Illumination Data

Colour Temperature	3000K
Lumen Output	1800lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	37cm
Box Width	37cm
Box Height	9cm
Box Weight	1,7Kg
Pcs/Carton	5
Barcode	5291889043348
HS Code	9405104090

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes