

## 14 Wall & Ceiling LED>Round Indoor/Outdoor Wall Dark Lights Die cast

# 67359/W/W



3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads









## Dimensions



#### **Physical Specification**

Item Group	14 Wall & Ceiling LED
Family	Round Indoor/Outdoor Wall Dark Lights Die cast
Order Code	67359/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	100mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Input Current Voltage	350mA 8V
Voltage	8V
Voltage Power(Watts)	8V 2,8W
Voltage Power(Watts)  IP Rating	2,8W IP54
Voltage Power(Watts)  IP Rating  Light Source	2,8W  IP54  LED built in
Voltage  Power(Watts)  IP Rating  Light Source  LED Type	2,8W  IP54  LED built in  SMD 5630
Voltage Power(Watts)  IP Rating  Light Source  LED Type  LED Brand	2,8W  IP54  LED built in  SMD 5630  Osram
Voltage Power(Watts)  IP Rating  Light Source  LED Type  LED Brand	2,8W  IP54  LED built in  SMD 5630  Osram
Voltage Power(Watts)  IP Rating  Light Source  LED Type  LED Brand  LED Number	2,8W  IP54  LED built in  SMD 5630  Osram
Voltage  Power(Watts)  IP Rating  Light Source  LED Type  LED Brand  LED Number	2,8W IP54 LED built in SMD 5630 Osram 6
Voltage Power(Watts)  IP Rating  Light Source  LED Type  LED Brand  LED Number  Gear  Gear	2,8W IP54 LED built in SMD 5630 Osram 6
Voltage Power(Watts)  IP Rating  Light Source  LED Type  LED Brand  LED Number  Gear  Gear  June 100 J	2,8W IP54 LED built in SMD 5630 Osram 6 Led Driver 100-240V

Power Factor	0,5
Constant Current	Yes
350mA	3-10V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C~50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Galoppato
lumination Data	
Colour Temperature	3000K
Lumen Output	200lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Length	11cm
Box Width	4cm
Box Height	11cm
Pcs/Carton	30
Barcode	5291889043522
HS Code	9405409900

# Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes