

14 Wall & Ceiling LED>Outdoor Wall Up & Down Lights

67362C/AN/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67362C/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	207mm
Width	110mm
Height	60mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable

No

## Electrical Characteristics

Gear

Built In

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x4,5W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

25V

Power(Watts)

8,5W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 3014

LED Brand

Edison

F Mark



### Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes


6-9,1W

0,9

Yes

17-26V

IP20



No

Plastic

Cable

Eaglerise

#### Illumination Data


Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K

2x315lm

70lm/W

80



#### Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

14cm

7cm

22,5cm

0,9kg

12

5291889043782

9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes