

14 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

67386A/AN/W



1,5W LED wall light, IP65, ideal for both indoor and outdoor installation.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|-------------------|--|
| Item Group | 14 Wall & Ceiling LED |
| Family | Down Illumination Wall Lights ABS + PC |
| Order Code | 67386A/AN/W |
| Colour | Anthracite |
| Material | ABS |
| Diffuser Material | PC |
| Shape | Rectangular |
| Length | 100mm |
| Width | 37mm |
| Height | 60mm |
| Surface Wall | Yes |
| Indoor | Yes |

Outdoor

Yes

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

1,5W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

LED Number

12

Gear

Illumination Data

Colour Temperature

3000K

Lumen Output

80lm

Light Efficiency

53,33lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length

11cm

Box Width

7cm

Box Height

4cm

Box Weight

0,12Kg

Pcs/Carton

40


Barcode

5291889049081

HS Code

9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes