

14 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

67386C/AN/W



4W LED wall light, IP65, ideal for both indoor and outdoor installation.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Down Illumination Wall Lights ABS + PC
Order Code	67386C/AN/W
Colour	Anthracite
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	220mm
Width	37mm
Height	80mm
Surface Wall	Yes
Indoor	Yes

Outdoor	Yes
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	28
Gear	
Illumination Data	
Colour Temperature	3000K
Colour Temperature Lumen Output	220lm
Light Efficiency	55lm/W

80

CRI


Illumination Diagram

Packing Info

Box Length	23cm
Box Width	9cm
Box Height	4,5cm
Box Weight	0,27Kg
Pcs/Carton	20
Barcode	5291889048923
HS Code	9405104090

Yes

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes