

15 Plafo>The LED Super Slim Plafo Round

67404M/W/W



12W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Super Slim Plafo Round
Order Code	67404M/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	48mm
Diameter	250mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

IK Rating

8

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP40

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

IP Rating

IP40

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

12W

Constant Current

Yes

IP Rating
Safety Class
Dimmable

IP20

No

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


3000K
1100lm
91,67m/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Carton Length
Carton Width
Carton Height
Carton Weight
Barcode
HS Code

26cm
6cm
26cm
1kg
20
60cm
54cm
29cm
15,6Kg
5291889056959
9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes