

14 Wall & Ceiling LED>The Retro Opal Range Die cast + PC

67424B/W/W



15W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with 500mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The Retro Opal Range Die cast + PC
Order Code	67424B/W/W
Colour	White
Material	Die Cast
Diffuser Material	PC
Shape	Rectangular

Length	240mm
Width	240mm
Height	70mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	28V
Safety Class	
Power(Watts)	14W
IP Rating	IP54
Light Source	LED built in

LED Type	SMD 3528
LED Brand	Edison
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	10-15W
Power Factor	0,9
Constant Current	Yes
500mA	20-30V
IP Rating	IP20
Safety Class	
Manufacturer	Eaglerise
Protection	0

## Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	73,33lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Length	25,5cm
Box Width	8cm
Box Height	25,5cm
Box Weight	1,8Kg

Pcs/Carton

6


Barcode

5291889053361

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes