



7W LED Wall and Ceiling Dark light.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery





Physical Specification


| | |
|-------------------|-----------------------|
| Item Group | 14 Wall & Ceiling LED |
| Family | The Backlight Range |
| Order Code | 67450A/W/W |
| Colour | White |
| Material | ABS |
| Diffuser Material | PC |
| Shape | Rectangular |

| | |
|-----------------|-------|
| Length | 150mm |
| Width | 150mm |
| Height | 60mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |
| IK Rating | 8 |


Electrical Characteristics

| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 7W |
| IP Rating | IP54 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 300mA |
| Voltage | 20V |
| Power(Watts) | 6W |
| IP Rating | IP54 |
| Light Source | LED built in |
| LED Type | SMD 2835 |

| | |
|------------------|---|
| LED Brand | Epistar |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 3,6-6W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 300mA | 12-20V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 600lm |
| Light Efficiency | 85,7lm/W |
| CRI | 80 |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|------|
| Box Length | 16cm |
| Box Width | 16cm |
| Box Height | 8cm |

Pcs/Carton

24


Barcode

5291889058007

HS Code

9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes