

14 Wall & Ceiling LED>Indoor/Outdoor Wall Lights Die cast

67480B/AN/W



2x6W LED Wall and Ceiling Dark light.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|-------------------------------------|
| Item Group | 14 Wall & Ceiling LED |
| Family | Indoor/Outdoor Wall Lights Die cast |
| Order Code | 67480B/AN/W |
| Colour | Anthracite |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 122mm |
| Width | 107mm |
| Height | 76mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x6W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

22V

Power(Watts)

11W

IP Rating

IP65

Light Source

LED built in

LED Type

COB

LED Brand

Cree

LED Number

2

Gear

Gear Type


Led Driver

Input Voltage


220-240V

50 Hz

Yes

| | |
|------------------|---|
| 60 Hz | Yes |
| Power(Watts) | 9-12W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 500mA | 18-24V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 960lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 8 |
| Barcode | 5291889065913 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes