


67494A/AN/W



Technical drawing of a vertical rectangular structure. The top width is labeled 100mm. The total height is labeled 480mm. The structure has a thin top section and a larger main body. At the bottom, there are two small circles representing fasteners or mounting points.

5

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	8V
Power(Watts)	2,8W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Philips

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2,1-4,2W
Power Factor	0,9

Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
6-12V
IP20

No
Plastic
KGP

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
240lm
80lm/W
80


Packing Info

Pcs/Carton
Barcode
HS Code

4
5291889067092
9405409900

Certification & Warranty

Warranty
Weee Directive

2 Years
Yes