

New 2021 Edition 3>Wall & Ceiling LED

67522A/AN/W



8W Wall light, IP65.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions




Physical Specification

Item Group	New 2021 Edition 3
Family	Wall & Ceiling LED
Order Code	67522A/AN/W
Colour	Anthracite
Material	Die Cast + Wood
Shape	Rectangular
Length	222mm
Width	80mm
Height	50mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	7
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	17,92V
Power(Watts)	6,27W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Osram
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	4,2-6,3W
Power Factor	0,9
Constant Current	Yes
350mA	12-18V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Protection	0
Ilumination Data	
	200014
Colour Temperature	3000K
	3000K 600lm
Colour Temperature	
Colour Temperature Lumen Output	600lm
Colour Temperature Lumen Output Light Efficiency	600lm 75lm/W
Colour Temperature Lumen Output Light Efficiency CRI	600lm 75lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	600lm 75lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	600lm 75lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	600lm 75lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	600lm 75lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Packing Info Pcs/Carton	600lm 75lm/W 80 12

Energy Label



Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes