

# 19 Wall Recessed & Inground>Outdoor Wall Colours Recessed Stainless

68001/BL

steel



1,6W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Supplied with box for concrete installation

Complies with standard EN60598-1 and any other specific standards.




#### Downloads





#### Dimensions



## Gallery



### Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Wall Colours Recessed Stainless steel
Order Code	68001/BL
Colour	Stainless Steel
Material	Stainless Steel
Diffuser Material	Glass
Shape	Rectangular

Length	105mm
Width	105mm
Cutout Hole Width	97mm
Cutout Hole Length	97mm
Recessed wall	Yes
Depth Required	65mm
ndoor	Yes
Outdoor	Yes
Adjustable	No
ctrical Characteristics Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
SO Hz	Yes
Safety Class	
Power(Watts)	1,6W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1,6W
P Rating	IP54
inht Course	LED built in
Light Source	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,6W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Protection	0
lumination Data	
lumination Data  Colour Temperature	Blue
	Blue
Colour Temperature	Blue
Colour Temperature  Illumination Diagram	Blue
Colour Temperature	Blue
Colour Temperature  Illumination Diagram	Blue  10,5cm
Colour Temperature  Illumination Diagram  Packing Info	
Colour Temperature  Illumination Diagram  Packing Info  Box Length	10,5cm
Colour Temperature  Illumination Diagram  Packing Info  Box Length  Box Width	10,5cm 14cm
Colour Temperature  Illumination Diagram  Packing Info  Box Length  Box Width  Box Height	10,5cm 14cm
Colour Temperature  Illumination Diagram  Packing Info  Box Length  Box Width  Box Height  Pcs/Carton	10,5cm 14cm 14cm

Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes