

19 Wall Recessed & Inground>Outdoor Wall Colours Recessed Stainless

68002/R

steel



1,2W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Supplied with box for concrete installation

Complies with standard EN60598-1 and any other specific standards.



Downloads





<u> </u>				
ЭΠ	me	ne	:IO	ns
-		\mathbf{n}		

	00		
- 1	ma	m	m
- 1	UJ		



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Wall Colours Recessed Stainless steel
Order Code	68002/R
Colour	Stainless Steel
Material	Stainless Steel
Diffuser Material	Glass
Shape	Rectangular
Length	109mm
Width	45mm
Cutout Hole Width	105mm
Cutout Hole Length	35mm
Recessed wall	Yes

Outdoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,2W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1,2W
IP Rating	IP54
Light Source	LED built in
LED Brand	Edison
F Mark	F
Gear	
Protection	0

65mm

Yes

Depth Required

Indoor

Illumination Data

Illumination Diagram	
acking Info	
Box Length	10,5cm
Box Width	10,5cm
Box Height	20,3cm
Pcs/Carton	40

5291889008446


9405409900

Red

Energy Label

Barcode

HS Code



Colour Temperature

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes