



68012/B/W



Complies with standard EN60598-1 and any other specific standards.



Dimensions



A blue and white RJ45 network port connector, commonly used for Ethernet networking. It is a small, rectangular plastic component with a blue top and a white front face. The front face features a rectangular opening with a grid of small holes, which is the port for inserting an Ethernet cable. The top of the connector has a small, raised tab. The connector is shown against a plain white background.

19 Wall Recessed & Inground

Outdoor Dark Light Wall Recessed Die cast

68012/B/W

Black

Die Cast

Rectangular



95mm

Width	137mm
Cutout Hole Diameter	80x120mm
Recessed wall	Yes
Depth Required	90mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,5W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	


Illumination Data

Colour Temperature	3000K
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	24
Barcode	5291889060208

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes