

19 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed Die cast

68064/AN/W



3,6W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete with 350mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed Die cast
Order Code	68064/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	65mm
Width	107mm
Height	65mm
Cutout Hole Width	97mm
Cutout Hole Length	62mm
Recessed wall	Yes

Depth Required
Indoor
Outdoor
Adjustable

65mm
Yes
Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

Built In
100-240V
Yes
Yes

3,6W
IP65
LED built in
No


Fitting
Input Type
Input Current
Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number

Constant Current
350mA
9V

3W
IP65
LED built in
SMD
Philips
6

F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1-4W
Power Factor	0,5
Constant Current	Yes
350mA	3-10V
IP Rating	IP20
Safety Class	
Brand	Eaglerise
Protection	0

Illumination Data


Colour Temperature	3000K
Lumen Output	85lm
Light Efficiency	23,61lm/W
CRI	80
Beam Angle	44°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	13cm
Box Width	10cm
Box Height	10,5cm
Box Weight	0,4Kg

Pcs/Carton	24
Barcode	5291889057475
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes