



19 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed Die cast

68066/G/W



8,5W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete with 500mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed Die cast
Order Code	68066/G/W
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	250mm
Width	87mm
Height	73mm
Cutout Hole Width	238mm
Cutout Hole Length	74mm
Recessed wall	Yes

Depth Required	80mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8,5W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	16V
Safety Class	
Power(Watts)	8W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
LED Brand	Philips
LED Number	40

F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,25-9W
Power Factor	0,9
Constant Current	Yes
500mA	6,5-18V
IP Rating	IP20
Safety Class	
Manufacturer	HEP
Protection	0

Illumination Data


Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	18,82lm/W
CRI	80
Beam Angle	44°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11cm
Box Width	10,5cm
Box Height	27,5cm
Box Weight	0,85Kg

Pcs/Carton	12
Barcode	5291889048176
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes