

19 Wall Recessed & Inground>Dark Light Step Series Aluminium

68074B/W/W



2W 700mA LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Must be ordered separately







89004AT

Physical Specification

| Item Group | 19 Wall Recessed & Inground |
|------------|----------------------------------|
| Family | Dark Light Step Series Aluminium |
| Order Code | 68074B/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Rectangular |

| Length | 50mm |
|----------------------|------|
| Width | 50mm |
| Height | 45mm |
| Cutout Hole Diameter | 35mm |
| Recessed wall | Yes |
| Depth Required | 55mm |
| Indoor | Yes |
| Outdoor | Yes |
| IK Rating | 8 |
| | |

Electrical Characteristics

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 700mA |
| Safety Class | ✓III |
| Power(Watts) | 2W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Type | СОВ |
| LED Brand | Philips |
| Cable Length | 200cm |
| F Mark | F |


Illumination Data

| Colour Temperature | 3000K |
|----------------------|--------|
| Lumen Output | 100lm |
| Light Efficiency | 50lm/W |
| CRI | 85 |
| Illumination Diagram | |

Packing Info

| Box Length | 6,5cm |
|------------|---------------|
| Box Width | 6,5cm |
| Box Height | 6,5cm |
| Pcs/Carton | 100 |
| Barcode | 5291889058489 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

| Warranty | 2 Years |
|----------------|---------|
| Weee Directive | Yes |