

19 Wall Recessed & Inground>The Glass Face Recessed Lights

68076/B/W



4W Glass SMD LED recessed wall light, IP65.

AC LED


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



Item Group	19 Wall Recessed & Inground
Family	The Glass Face Recessed Lights
Order Code	68076/B/W
Colour	Black
Material	Glass
Shape	Rectangular
Length	120mm
Width	80mm
Height	36mm
Cutout Hole Width	115mm
Cutout Hole Length	70mm
Recessed wall	Yes

Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	300lm
Light Efficiency	75lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes


Packing Info

Pcs/Carton	12
Barcode	5291889062318

HS Code

9405105000

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes