


19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042B/AL/W



1W COB LED inground, IP67, aluminium, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89004




89004T

Physical Specification

| | |
|----------------------|--|
| Item Group | 19 Wall Recessed & Inground |
| Family | The Inground Mini Series Natural Aluminium |
| Order Code | 69042B/AL/W |
| Colour | Aluminium |
| Material | Natural Aluminium |
| Diffuser Material | Glass |
| Shape | Circular |
| Height | 53mm |
| Diameter | 37mm |
| Cutout Hole Diameter | 30mm decking 35mm concrete |
| Inground | Yes |
| Depth Required | 80mm deck 95mm+300mm drainage Concrete |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 3,1V |
| Safety Class |  |
| Power(Watts) | 1W |
| IP Rating | IP67 |
| Light Source | LED built in |
| LED Type | SMD |
| LED Brand | Cree |
| LED Number | 1 |

Cable Length

200cm

F Mark



Illumination Data

Colour Temperature

3000K

Lumen Output

80lm

Light Efficiency

80lm/W

CRI

85

Illumination Diagram



Packing Info

Box Length

6,5cm

Box Width

5cm

Box Height

10,5cm

Box Weight

0,188Kg

Pcs/Carton

50


Barcode

5291889045267

HS Code

9405409900

Energy Label



Warranty

2 Years

Average Lifetime

50000Hours

Weee Directive

Yes
