

19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042M/AL/W



1W/2W COB LED inground, IP67, aluminium, for path illumination.

Requires 350mA/700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004



89004A

Physical Specification

| | |
|----------------------|--|
| Item Group | 19 Wall Recessed & Inground |
| Family | The Inground Mini Series Natural Aluminium |
| Order Code | 69042M/AL/W |
| Colour | Aluminium |
| Material | Aluminium |
| Shape | Circular |
| Height | 44mm |
| Diameter | 27mm |
| Cutout Hole Diameter | 22mm decking 26mm concrete |
| Inground | Yes |
| Depth Required | 60mm deck 95mm+300mm drainage Concrete |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 8 |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA/700mA |
| Voltage | 3,1V |
| Safety Class |  |
| Power(Watts) | 1W/2W |
| IP Rating | IP67 |
| Light Source | LED built in |
| LED Brand | Philips |
| LED Number | 1 |
| Cable Length | 200cm |

Illumination Data

| | |
|--------------------|-------|
| Colour Temperature | 3000K |
|--------------------|-------|

| | |
|--------------|-------|
| Lumen Output | 150lm |
|--------------|-------|

| | |
|------------------|--------|
| Light Efficiency | 75lm/W |
|------------------|--------|

| | |
|-----|----|
| CRI | 80 |
|-----|----|

| | |
|------------|-----|
| Beam Angle | 24° |
|------------|-----|

| | |
|----------------------|---|
| Illumination Diagram |  |
|----------------------|---|


Packing Info

| | |
|------------|----|
| Pcs/Carton | 50 |
|------------|----|

| | |
|---------|---------------|
| Barcode | 5291889061502 |
|---------|---------------|

| | |
|---------|------------|
| HS Code | 9405409900 |
|---------|------------|

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes
