

# 19 Wall Recessed & Inground>The COB Inground Range

# 69050/W



20W COB LED inground with removable honeycomb, IP67, stainless steel 316, for path illumination.

AC LED.

Complies with standard EN60598-1 and any other specific standards.



### Downloads









### Dimensions



### Gallery




### **Physical Specification**

Item Group	19 Wall Recessed & Inground
Family	The COB Inground Range
Order Code	69050/W
Colour	Stainless Steel
Material	Stainless Steel 316
Diffuser Material	Glass
Shape	Circular

Height	140mm
Diameter	145mm
Cutout Hole Diameter	132mm
Inground	Yes
Depth Required	200mm+300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10
Electrical Characteristics	
Coor	Ma
Gear	No
Fitting + Driver	
	400.0401/
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	2014
Power(Watts)	20W
IP Rating	LED built in
Light Source  Dimmable	Yes
Dimmer type	Triac
Cable Length	200cm
F Mark	F/
Illumination Data	
Colour Temperature	3000K
Lumen Output	1800lm
Light Efficiency	90lm/W

CRI	80
Beam Angle	25°
Illumination Diagram	
Packing Info	
Pcs/Carton	6
Barcode	5291889055914
HS Code	9405409900

# Energy Label



## Certification & Warranty

Warranty 2 Years
Weee Directive Yes