

20 Garden & Underwater>The LED Underwater Range Stainless steel

69064A/C



3W underwater LED spot, IP68.

Underwater only / 2m max depth.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	The LED Underwater Range Stainless steel
Order Code	69064A/C
Colour	Stainless Steel
Material	Stainless Steel 316
Shape	Circular
Height	102mm
Diameter	80mm
Surface Wall	Yes
Surface Floor/Ground	Yes
Underwater	Yes
Adjustable	2 Directions

IK Rating	8
Electrical Characteristics	
Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	3W
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Bridgelux
LED Number	3
Cable Length	500cm

Illumination Data	
Colour Temperature	4000K
Lumen Output	200lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	

Packing Info	
Pcs/Carton	18
Barcode	5291889066910
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes