



140W LED street light. High lumen output ideal for replacement of old HPS and mercury street lighting fittings.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Physical Specification

Item Group	Special Offers
Family	Industrial & Floodlights
Order Code	70106D/C
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	864mm
Width	375mm
Height	174mm
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	140W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Voltage	80V
Power(Watts)	140W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	80

Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	40W
Power Factor	0,9

Constant Current
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal

Yes
IP65

No
Plastic
Connector

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

4000K
10500lm
75lm/W
70
140° x 70°


Packing Info

Box Weight
Pcs/Carton
Barcode
HS Code

13,5Kg
1
5291889037903
9405409900

Certification & Warranty

Warranty
----------

2 Years
---------

