

|                   |                             |
|-------------------|-----------------------------|
| Item Group        | 21 Industrial & Floodlights |
| Family            | AC LED Floodlights 100-250W |
| Order Code        | 7028CD/B/C                  |
| Colour            | Black                       |
| Material          | Die Cast                    |
| Diffuser Material | Glass                       |
| Shape             | Rectangular                 |
| Length            | 320mm                       |
| Width             | 245mm                       |
| Height            | 30mm                        |
| Surface Ceiling   | Yes                         |
| Surface Wall      | Yes                         |

|                      |
|----------------------|
| Surface Floor/Ground |
| Outdoor              |
| Adjustable           |

|             |
|-------------|
| Yes         |
| Yes         |
| 1 Direction |

Electrical Characteristics

|      |
|------|
| Gear |
|------|

|    |
|----|
| No |
|----|

Fitting + Driver

|               |
|---------------|
| Input Voltage |
|---------------|

|          |
|----------|
| 220-240V |
|----------|

|       |
|-------|
| 50 Hz |
|-------|

|     |
|-----|
| Yes |
|-----|

|       |
|-------|
| 60 Hz |
|-------|

|     |
|-----|
| Yes |
|-----|

|              |
|--------------|
| Safety Class |
|--------------|



|              |
|--------------|
| Power(Watts) |
|--------------|

|      |
|------|
| 100W |
|------|

|           |
|-----------|
| IP Rating |
|-----------|

|      |
|------|
| IP65 |
|------|

|              |
|--------------|
| Light Source |
|--------------|

|              |
|--------------|
| LED built in |
|--------------|

|          |
|----------|
| Dimmable |
|----------|

|    |
|----|
| No |
|----|

|              |
|--------------|
| Cable Length |
|--------------|

|      |
|------|
| 30cm |
|------|

|        |
|--------|
| F Mark |
|--------|



Illumination Data

|                    |
|--------------------|
| Colour Temperature |
|--------------------|

|       |
|-------|
| 4000K |
|-------|

|              |
|--------------|
| Lumen Output |
|--------------|

|        |
|--------|
| 9000lm |
|--------|

|                  |
|------------------|
| Light Efficiency |
|------------------|

|        |
|--------|
| 90lm/W |
|--------|

|     |
|-----|
| CRI |
|-----|

|    |
|----|
| 80 |
|----|

|            |
|------------|
| Beam Angle |
|------------|

|      |
|------|
| 110° |
|------|

|                      |
|----------------------|
| Illumination Diagram |
|----------------------|



Packing Info

|            |
|------------|
| Box Length |
|------------|

|      |
|------|
| 22cm |
|------|

|           |
|-----------|
| Box Width |
|-----------|

|     |
|-----|
| 4cm |
|-----|

|               |               |
|---------------|---------------|
| Box Height    | 28cm          |
| Box Weight    | 1,5Kg         |
| Pcs/Carton    | 10            |
| Carton Length | 51.4cm        |
| Carton Width  | 21.5cm        |
| Carton Height | 33.6cm        |
| Carton Weight | 15,1Kg        |
| Barcode       | 5291889056010 |
| HS Code       | 9405409900    |

Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 2 Years |
| Weee Directive | Yes     |