

21 Industrial & Floodlights>AC LED Floodlights 100-250W

7028CD/W/C



100W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 100-250W
Order Code	7028CD/W/C
Colour	White
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	320mm
Width	245mm
Height	30mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground
Outdoor
Adjustable

Yes
Yes
1 Direction

Electrical Characteristics

Gear
------

No
----

Fitting + Driver

Input Voltage
---------------

220-240V
----------

50 Hz
-------

Yes
-----

60 Hz
-------

Yes
-----

Safety Class
--------------



Power(Watts)
--------------

100W
------

IP Rating
-----------

IP65
------

Light Source
--------------

LED built in
--------------

Dimmable
----------

No
----

Cable Length
--------------

30cm
------

F Mark
--------



Illumination Data

Colour Temperature
--------------------

4000K
-------

Lumen Output
--------------

9000lm
--------

Light Efficiency
------------------

90lm/W
--------

CRI
-----

80
----

Beam Angle
------------

110°
------

Illumination Diagram
----------------------



Packing Info

Pcs/Carton
------------

10
----


Barcode
---------

5291889062066
---------------

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes