

25 Lamps>Dimmable MR16 GU10 COB LED

7306CGD/C



MR16 GU10 Triac dimmable COB LED 6W 230V AC lamp.

Suitable for residential and commercial applications.

Complies with standard EN62560 and any other specific standards.




Downloads





Dimensions



Gallery



Physical Specification

| Item Group | 25 Lamps |
|------------|----------------------------|
| Family | Dimmable MR16 GU10 COB LED |
| Order Code | 7306CGD/C |
| Shape | Circular |
| Height | 55mm |
| Diameter | 50mm |

| Lamp Mains Voltage Input Type Mains Voltage Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 6W Lamp Type LED Lamp Holder GU10 LED Type CO8 LED Brand Sanan Dimmable Yes Dimmer type Triac Illumination Data 4000K Luren Output 520in Light Efficiency 86,67im/W CRI 85 Beam Angle 60° Illumination Diagram 60° Pocking Info 5cm Box Veright 6cm Box Weight 0,054Kg PcsGarton 100 | Electrical Characteristics | |
|--|----------------------------|---------------|
| Input Type | Gear | No |
| Input Type | | |
| Power (Watts) | Lamp | |
| Food Hz | Input Type | Mains Voltage |
| Power(Watts) | Input Voltage | 220-240V |
| Power(Watts) 60W | 50 Hz | Yes |
| Lamp Holder Lamp Holder COB LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Colour Temperature 4000K Lumen Output 520lm Light Efficiency RB 85 Beam Angle Beam Angle Illumination Diagram Packing Info Box Length Box Weight Box Weight DOB GOB GU10 COB Sanan 4000K A000K A000K | 60 Hz | Yes |
| Lamp Holder GU10 LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Illumination Data 4000K Lumen Output 520lm Light Efficiency 86,67lm/W CRI 85 Beam Angle 60° Illumination Diagram ▲ Peaking Info 5cm Box Height 5cm Box Height 6cm Box Weight 0,054Kg | Power(Watts) | 6W |
| LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Illumination Data 4000K Colour Temperature 4000K Lumen Output 520lm Light Efficiency 85 Beam Angle 60° Illumination Diagram 60° Packing Info 5cm Box Weight 5cm Box Height 6cm Box Weight 0,054Kg | Lamp Type | LED |
| LED Brand Dimmable Yes Dimmer type Triac Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI Beam Angle 60° Illumination Diagram Packing Info Box Length Box Weight 6cm Box Weight 6cm | Lamp Holder | GU10 |
| Dimmable Yes Dimmer type Triac Illumination Data Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram C Packing Info 5cm Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | LED Type | СОВ |
| Dimmer type Triac Colour Temperature Lumen Output Light Efficiency Roam Angle Beam Angle Box Length Box Width Box Weight Box Weight Triac Triac Triac | LED Brand | Sanan |
| Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,671m/W CRI 85 Beam Angle 60° Illumination Diagram Packing Info Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | Dimmable | Yes |
| Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram Illumination Diagram Packing Info 5cm Box Width 5cm Box Wight 6cm Box Weight 0,054Kg | Dimmer type | Triac |
| Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram Illumination Diagram Packing Info 5cm Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | | 4000K |
| CRI 85 Beam Angle 60° Illumination Diagram | | 520lm |
| Beam Angle 60° Illumination Diagram Packing Info Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | Light Efficiency | 86,67lm/W |
| Packing Info Box Length Box Width Box Height Box Weight Do,054Kg | CRI | 85 |
| Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | Beam Angle | 60° |
| Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | Illumination Diagram | |
| Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg | | |
| Box Width5cmBox Height6cmBox Weight0,054Kg | Packing Info | |
| Box Width5cmBox Height6cmBox Weight0,054Kg | | |
| Box Height 6cm Box Weight 0,054Kg | | |
| Box Weight 0,054Kg | | |
| | | |
| Pcs/Carton 100 | | |
| | Pcs/Carton | 100 |

| Barcode | 5291889053316 |
|---------|---------------|
| HS Code | 8539500000 |

Energy Label



Energy Class F

Energy Consumption 6kWh/1000h

Certification & Warranty

| Warranty | 3 Years |
|------------------|----------|
| Average Lifetime | 30000hrs |
| Switching Cycles | 15000 |
| Weee Directive | Yes |