


25 Lamps>Dimmable R111 LED

7524BD/W/30



R111 LED Module 500mA.

Suitable for residential and commercial applications.

Requires 500mA driver.

Complies with standard EN62560 and any other specific standards.




Downloads





Dimensions



Must be ordered separately




89030C

Physical Specification

Item Group	25 Lamps
Family	Dimmable R111 LED
Order Code	7524BD/W/30
Shape	Circular
Height	69mm
Diameter	111mm

Electrical Characteristics	
Gear	Order Separately
Lamp	
Input Type	Constant Current
Input Current	500mA
Power(Watts)	12x2W
Lamp Type	LED
Dimmable	Yes
Illumination Data	
Colour Temperature	3000K
Colour Temperature Lumen Output	3000K 860lm
Lumen Output	860lm
Lumen Output Light Efficiency	860lm 35,83lm/W
Lumen Output Light Efficiency CRI	860lm 35,83lm/W 80
Lumen Output Light Efficiency CRI Beam Angle	860lm 35,83lm/W 80
Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	860lm 35,83lm/W 80
Lumen Output Light Efficiency CRI Beam Angle	860lm 35,83lm/W 80
Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	860lm 35,83lm/W 80
Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	860lm 35,83lm/W 80 30°

Energy Label



Energy Consumption	26,4KWh/1000h

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes