



09 LED Strips & Profiles>Connect In One Length Range 24V

7813L/W



Flexible LED light strip, with SMD2835 LEDs, 60LEDs/meter, 3W/meter. Supplied in 30 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	09 LED Strips & Profiles
Family	Connect In One Length Range 24V
Order Code	7813L/W
Shape	Rectangular
Length	30m
Width	10mm
Inground	Yes

Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	3W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	60Leds/m


## Illumination Data

Colour Temperature	3000K
Lumen Output	240lm/m
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Length	43cm
Box Width	43cm
Box Height	2cm
Pcs/Carton	20
Barcode	5291889058878

Energy Label



Certification & Warranty

Warranty

5 Years

Weee Directive

Yes