

## 08 Strips & Profiles>The 4,8W/m Outdoor 24V

# 7820W/D



IP68 Waterproof Flexible LED light strip, with SMD2216 LEDs, 70LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions

Cut every 10cm (7-LED segment)




#### Gallery



#### Accessories





7826

### Related items



20030

## Physical Specification

Item Group	08 Strips & Profiles
Family	The 4,8W/m Outdoor 24V
Order Code	7820W/D
Material	Silicone
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

#### **Electrical Characteristics**

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	4,8W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 2216
LED Brand	Refond

LED Number	70LEDs/m
F Mark	F
Ilumination Data	
IIUITIITAIIOTI Dala	
Colour Temperature	6000K
Lumen Output	432lm/m
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	
Packing Info	
Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,43kg
Pcs/Carton	40
Barcode	5291889017615
HS Code	9405409989
Energy Label	
ENERGY  ONE Light Ltd  7820W/D  A  B  C  LWh/1000h  EVALUATE STATES AND STATE	
Energy Class	E

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty