

08 Strips & Profiles>The Outdoor RGB & RGBW Strip 24V

7830W/RGBW



Waterproof RGB+W flexible LED light strip, with SMD5050 LEDs, 60LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Accessories



7827A

Related items



20036



89100LP

Physical Specification



Item Group
Family
Order Code
Shape
Length
Width
Surface Ceiling
Surface Wall
Surface Floor/Ground
Indoor
Outdoor

08 Strips & Profiles
The Outdoor RGB & RGBW Strip 24V
7830W/RGBW
Rectangular
5000mm
14mm
Yes
Yes
Yes
Yes
Yes

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Voltage
24V DC

19,2W/m
IP68
LED built in
SMD 5050
Refond
60LEDs/m


Illumination Data

Colour Temperature
Illumination Diagram

RGB+3000K


Packing Info

Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,54kg
Pcs/Carton	40
Barcode	5291889070306
HS Code	9405409989

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes